



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

TEST REPORT

Page No.: 1 of 3

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	ULR No. : TC148442600030228F Report No. : AGSS/AP/26021800016 Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	--

Name of The Product : Manjishta Powder	Sample Received Date : 18/02/2026
Product Description : Brick Red Colour Powder	Analysis Starting Date : 18/02/2026
Batch No./Lot No. : MJP010326	Analysis Completion Date : 27/02/2026
Date of Manufacturing : 10/02/2026	Date of Sampling : -
Date of Expiry : 09/02/2027	Quantity Received : 100gm
Packing Condition : Plastic Container	Environment Condition : Ok
Location : NA	Sampling Method : NA
Sample Received / Collected By : Courier	Sampling By : NA
Testing Required : Chemical & Microbiological Test	
Others specification : NA	

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
Chemical Parameters					
1	Moisture	% w/w	5.37	-	API - II, Vol - IV, P-118 : 2017
Heavy Metal :-					
2	Lead (as Pb)	mg/kg	BLQ(0.01)	10.0 Max	AGSS/CHEM/SOP-ICPMS/13
3	Arsenic (as As)	mg/kg	BLQ(0.01)	3.0 Max	AGSS/CHEM/SOP-ICPMS/13
4	Cadmium (as Cd)	mg/kg	BLQ(0.01)	0.3 Max	AGSS/CHEM/SOP-ICPMS/13
5	Mercury (as Hg)	mg/kg	BLQ(0.01)	1.0 Max	AGSS/CHEM/SOP-ICPMS/13
Crop Contaminants :-					
6	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ(1.0)	5.0 Max	AGSS/CHEM/SOP/AFL/12
Pesticide Residue:-					
7	Alachlor	mg/kg	BLQ(0.01)	0.02 max	AGSS/CHEM/SOP/PEST/15
8	Aldrin and Dieldrin(sum of)	mg/kg	BLQ(0.01)	0.05 max	AGSS/CHEM/SOP/PEST/15
9	Azinphos-methyl	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
10	Bromopropylate	mg/kg	BLQ(0.01)	3.0 max	AGSS/CHEM/SOP/PEST/15
11	Chlorfenvinphos	mg/kg	BLQ(0.01)	0.5 max	AGSS/CHEM/SOP/PEST/15
12	Chlorpyrifos	mg/kg	BLQ(0.01)	0.2 max	AGSS/CHEM/SOP/PEST/15

P/26021800016-1



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



Format No.: AGSS/QS/F-024 Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 2 of 3

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	ULR No. : TC148442600030228F Report No. : AGSS/AP/26021800016 Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	--

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
13	Chlorpyrifos-methyl	mg/kg	BLQ(0.01)	0.1 max	AGSS/CHEM/SOP/PEST/15
14	Cypermethrin(and isomers)	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
15	DDT(sum of p,p-DDT,o,p-DDT,p,p-DDE and p,p-TDE)	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
16	Deltamethrin	mg/kg	BLQ(0.01)	0.5 max	AGSS/CHEM/SOP/PEST/15
17	Diazinon	mg/kg	BLQ(0.01)	0.5 max	AGSS/CHEM/SOP/PEST/15
18	Dichlorvos	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
19	Dithiocarbamates(as CS2)	mg/kg	BLQ(0.01)	2.0 max	AGSS/CHEM/SOP/PEST/15
20	Endosulfan(sum of isomers and Endosulfan sulphate)	mg/kg	BLQ(0.01)	3.0 max	AGSS/CHEM/SOP/PEST/15
21	Endrin	mg/kg	BLQ(0.01)	0.05 max	AGSS/CHEM/SOP/PEST/15
22	Ethion	mg/kg	BLQ(0.01)	2.0 max	AGSS/CHEM/SOP/PEST/15
23	Fenitrothion	mg/kg	BLQ(0.01)	0.5 max	AGSS/CHEM/SOP/PEST/15
24	Fenvalerate	mg/kg	BLQ(0.01)	1.5 max	AGSS/CHEM/SOP/PEST/15
25	Fonofos	mg/kg	BLQ(0.01)	0.05 max	AGSS/CHEM/SOP/PEST/15
26	Heptachlor(sum of Heptachlor&Heptachlorepoide)	mg/kg	BLQ(0.01)	0.05 max	AGSS/CHEM/SOP/PEST/15
27	Hexachlorobenzene	mg/kg	BLQ(0.01)	0.1 max	AGSS/CHEM/SOP/PEST/15
28	Hexachlorocyclohexane isomers(other then y)	mg/kg	BLQ(0.01)	0.3 max	AGSS/CHEM/SOP/PEST/15
29	Lindane (y- Hexachlorocyclohexane)	mg/kg	BLQ(0.01)	0.6 max	AGSS/CHEM/SOP/PEST/15
30	Malathion	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
31	Parathion	mg/kg	BLQ(0.01)	0.5 max	AGSS/CHEM/SOP/PEST/15
32	Parathion-methyl	mg/kg	BLQ(0.01)	0.2 max	AGSS/CHEM/SOP/PEST/15
33	Permethrin	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
34	Phosalone	mg/kg	BLQ(0.01)	0.1 max	AGSS/CHEM/SOP/PEST/15
35	Peperonyl butoxide	mg/kg	BLQ(0.01)	3.0 max	AGSS/CHEM/SOP/PEST/15

P/26021800016-2



Imrah Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 3 of 3

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	ULR No. : TC148442600030228F Report No. : AGSS/AP/26021800016 Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	--

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
36	Pirimiphos-methyl	mg/kg	BLQ(0.01)	4.0 max	AGSS/CHEM/SOP/PEST/15
37	Pyrethrins	mg/kg	BLQ(0.01)	3.0 max	AGSS/CHEM/SOP/PEST/15
38	Quintozone (sum of Quintozone, Pentachloroaniline and methyl Pentachlorophenyl sulphate)	mg/kg	BLQ(0.01)	1.0 max	AGSS/CHEM/SOP/PEST/15
Microbiological Parameters					
39	Total plate count (Total Bacterial count)	cfu/gm	<10	50 Max	API (P-2) VOL-IV APPENDIX-2.4.1, 2017
40	Yeast & mould count (Total Fungal count)	cfu/gm	<10	-	API (P-2) VOL-IV APPENDIX-2.4.1, 2017

Remarks : The tested sample conforms to API/Client Specification, with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification

End of Report

P/26021800016-3



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

TEST REPORT

Page No.: 1 of 4

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	Report No. : AGSS/AP/26021800016/N Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	---

Name of The Product	: Manjishta Powder	Sample Received Date	: 18/02/2026
Product Description	: Brick Red Colour Powder	Analysis Starting Date	: 18/02/2026
Batch No./Lot No.	: MJP010326	Analysis Completion Date	: 27/02/2026
Date of Manufacturing	: 10/02/2026	Date of Sampling	: -
Date of Expiry	: 09/02/2027	Quantity Received	: 100gm
Packing Condition	: Plastic Container	Environment Condition	: Ok
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Courier	Sampling By	: NA
Testing Required	: Chemical & Microbiological Test		
Others specification	: NA		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
Chemical Parameters					
1	Foreign Matter	-	Free from foreign matter	-	As Per API
2	Reducing Sugar	%	BLQ(1.0)	-	API - I, Vol - VI, P-337 : 2008
Pesticide Residue:-					
3	Chlordane(sum of cis-,trans and Oxythlordane)	mg/kg	BLQ(0.01)	0.05 max	AGSS/CHEM/SOP/PEST/15
4	Methidathion	mg/kg	BLQ(0.01)	0.2 max	AGSS/CHEM/SOP/PEST/15
Antibiotic :-					
5	Ampicillin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
6	Apramycin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
7	Albendazole	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
8	Amoxicillin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03

P/26021800016/N-1



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

Page No.: 2 of 4

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	Report No. : AGSS/AP/26021800016/N Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	---

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
9	Cloxacillin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
10	Chlortetracycline	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/01
11	Oxytetracycline	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/01
12	Tetracycline	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/01
13	Ceftiofur	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
14	Cephapirine	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
15	Closantel	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
16	Cefphacetrile	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
17	Cephalexin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
18	Doramectin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
19	Diminazene	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
20	Flunixin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
21	Febantel	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/04
22	Fenbendazole	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/04
23	Oxyfendazole	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/04

P/26021800016/N-2



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

Page No.: 3 of 4

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	Report No. : AGSS/AP/26021800016/N Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	---

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
24	Gentamicin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
25	Ivermectin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
26	Lincomycin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
27	Monensin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
28	Meloxicam	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
29	Neomycin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
30	Doramectin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
31	Oxyclozanide	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
32	Parbendazole	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
33	Pencillin G	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
34	Benzylpenicillin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/03
35	Spectinomycin	mg/L	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/04
36	Sulfadiazine	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/02
37	Sulfanilamide	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/02
38	Sulfaquinoxaline	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/02

P/26021800016/N-3



Imran Asif
Section In Charge (Food)
Checked by

Soora Gayam
Microbiologist
Authorized Signatory



Nidhi Gupta
Technical Manager
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

Page No.: 4 of 4

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	Report No. : AGSS/AP/26021800016/N Sample Issue Date : 18/02/2026 Report Issue Date : 27/02/2026
---	---

S.No.	Test Parameters	Units	Results	Requirement as per API/Client Specification	Method of Testing
39	Sulfadimidine	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 2
40	Sulfa Chloropyrazine	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 2
41	Sulfadimethoxine	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 2
42	Thiabendazole	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 4
43	Triclabendazole	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 3
44	Trimethoprim	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 2
45	Tylosin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 3
46	Zinc Bacitracin	mg/kg	BLQ(0.005)	-	AGSS/CHEM/SOP/LC-MS/ANT/0 3

Microbiological Parameters

47	E.coli	/25gm	Absent	Absent	IS : 5887 (P-1) : 1976
48	Salmonella	/25gm	Absent	Absent	IS : 5887 (P-3) Sec 1 : 2020
49	S.aureus	/gm	Absent	Absent	IS : 5887 (P-2) : 1976
50	Enterobacteriaceae	cfu/gm	<10	-	IS : 17112 (P-2) : 2019
51	Listeria monocytogenes	/25gm	Absent	Absent	IS : 14988 (P-1) : 2020
52	Vibrio cholerae	/25gm	Absent	Absent	IS : 5887 (P-5) : 1976
53	Sulphite Reducing clostridia	cfu/gm	<10	-	ISO : 15213 (P-1) : 2023

Remarks : The tested sample conforms to API/Client Specification, with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification

End of Report

P/26021800016/N-4



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

TEST REPORT

Page No.: 1 of 1

Issued to : CALORIE-KITCHEN PRIVATE LIMITED Flat No.-60T, Reliaable Life Style, Haraluru Road, Bengaluru Urban, Karnataka-560035	Report No. : AGSS/AP/26031600013 Sample Issue Date : 16/03/2026 Report Issue Date : 23/03/2026
---	---

Name of The Product	: Manjishta Powder	Sample Received Date	: 16/03/2026
Product Description	: Brick Red Colour Powder	Analysis Starting Date	: 16/03/2026
Batch No./Lot No.	: MJP010326	Analysis Completion Date	: 23/03/2026
Date of Manufacturing	: 10/02/2026	Date of Sampling	: -
Date of Expiry	: 09/02/2027	Quantity Received	: 300gm
Packing Condition	: Poly Pack	Environment Condition	: NA
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Courier	Sampling By	: NA
Testing Required	: Chemical Test		
Others specification	: NA		

TEST RESULT

S.No.	Test Parameters	Units	Result	Requirement	Method of Testing
Chemical Parameters:					
1	Appearance	-	Brick Red Colour Powder	-	As Per API
2	Taste	-	Aromatic	-	As Per API
3	pH Value	-	5.28	-	As Per API
4	Colour	-	Brick Red	-	As Per API
5	Brix	-	1.1	-	As Per API
6	Texture	-	Powder	-	As Per API
7	Salt	g/100gm	2.17	-	As Per API
8	Acidity	%	0.64	-	As Per API

End of Report

P/26031600013-1



Imran Asif
Section In Charge (Food)
Checked by



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

